

AMENDMENTS TO THE CLAIMS

1. (Previously Presented) An annular surgical wrap comprising a centrally-located hole configured for placement onto a vessel, a radial edge, and a drug selected from the group consisting of sirolimus, everolimus, tacrolimus, SDZ-RAD, CCI-779, 7-epi-rapamycin, 7-thiomethyl-rapamycin, 7-epi-trimethoxyphenyl-rapamycin, 7-epi-thiomethyl-rapamycin, and 7-demethoxy-rapamycin.
2. (Previously Presented) The annular surgical wrap of Claim 1, wherein said wrap is drug eluting and biodegradable.
3. (Previously Presented) The annular surgical wrap of Claim 1, wherein said wrap comprises a mesh that is drug eluting.
4. (Previously Presented) The annular surgical wrap of Claim 1, further comprising at least one additional medication selected from the group consisting of an anti-biotic medication, an anti-inflammatory medication, and an analgesic medication.
5. (Withdrawn) In combination, a cytostatic anti-proliferative drug attached to a surgical suture, the suture being adapted to connect human tissue that is separated by a surgical procedure on a human subject, the cytostatic anti-proliferative drug being selected from the group that includes sirolimus, anti-sense to c-myc (Resten-NG), tacrolimus (FK506), Everolimus and the following functional analogs of sirolimus: SDZ-RAD, CCI-779, 7-epirapamycin, 7-thiomethyl- rapamycin, 7-epi-trimethoxyphenyl- rapamycin, 7-epithiomethyl-rapamycin, 7-demethoxy- rapamycin, 32-demethoxy, 2-desmethyl and proline.
6. (Withdrawn) In combination, a cytostatic anti-proliferative drug attached to a sheet for placement at an anastomosis of a vessel of the human body, the drug and sheet combination being adapted to prevent narrowing of the vessel at the site of the anastomosis of that vessel, the cytostatic anti-proliferative drug being selected from the group that includes sirolimus, anti-sense to c-myc (Resten-NG), tacrolimus (FK506), Everolimus or any other functional analog of sirolimus including: SDZ-RAD, CCI-779, 7-epi-rapamycin, 7-thiomethyl-rapamycin, 7-epi-trimethoxyphenyl- rapamycin, 7-epi-thiomethyl-rapamycin, 7-demethoxy-rapamycin, 32-demethoxy, 2-desmethyl and proline.

7. (Withdrawn) The combination of claim 6 wherein the sheet is in the form of a flat rectangle that is adapted to be placed around a vessel at the site of the anastomosis.
8. (Withdrawn) The combination of claim 6 wherein the sheet is in the form of an annulus.
9. (Withdrawn) A means for improving the outcome of a surgical procedure on a human subject, the means being the systemic release into the human subject on whom the surgical procedure has been performed of a cytostatic anti-proliferative agent in combination with at least one other drug selected from the group that includes antiseptic agents, anti-biotic agents and analgesic agents, the cytostatic anti-proliferative agent being selected from the group that includes sirolimus, anti-sense to c-myc (Resten-NG), tacrolimus (FK506), Everolimus and other analog of sirolimus including: SDZ-RAD, CCI-779, 7-epi-rapamycin, 7-thiomethyl-rapamycin, 7-epi-trimethoxyphenyl-rapamycin, 7-epithiomethyl-rapamycin, 7-demethoxy-rapamycin, 32-demethoxy, 2-desmethyl and proline.
10. (Withdrawn) The means of claim 9 wherein additionally the cytostatic anti-proliferative agent is used in an ointment that is applied to the skin.
11. (Withdrawn) The means of claim 9 wherein additionally the cytostatic anti-proliferative agent is attached to a mesh that is adapted to be placed within the human subject in whom the surgical procedure was performed.
12. (Withdrawn) The means of claim 9 wherein the cytostatic anti-proliferative agent is attached to a suture.
13. (Withdrawn) A method for decreasing the formation of scar tissue after a surgical procedure, the method comprising the following steps:
- a) attaching a cytostatic anti-proliferative drug onto a mesh that is adapted for placement generally around tissue of a human subject; the antiproliferative drug being selected from the group that includes sirolimus, anti-sense to c-myc (Resten-NG), tacrolimus (FK506), Everolimus and any other analog of sirolimus including: SDZ-RAD, CCI-779, 7-epi-rapamycin, 7-thiomethyl-rapamycin, 7-epitrimethoxyphenyl-rapamycin, 7-epi-thiomethyl-rapamycin, 7-demethoxyrapamycin, 32-demethoxy, 2-desmethyl and proline.

b) placing the mesh with attached cytostatic anti-proliferative drug generally around tissue of the human subject during or after completing a surgical procedure.

14. (Withdrawn) The method of claim 13 wherein the surgical procedure includes the forming of an anastomosis of a vessel of the human subject, the vessel being selected from the group that includes an artery, a vein, a ureter, a urethra, an artificial graft, a jejunum, an ileum, a duodenum, a colon, a bile duct or a fallopian tube.

15. (Withdrawn) The method of claim 13 further including the step of systemic application into the human subject of at least one cytostatic anti-proliferative drug at least one day prior to the surgical procedure.

16. (Withdrawn) The method of claim 13 further including the step of a continuing systemic application into the human subject of at least one cytostatic anti-proliferative drug for at least one day after the surgical procedure.

17. (Withdrawn) The method of claim 13 wherein the surgical procedure is the creation of an anastomosis to join a vein to the aorta of the human subject.

18. (Withdrawn) The method of claim 13 wherein the surgical procedure is the creation of an anastomosis to join an internal mammary artery to a coronary artery of the human subject.

19. (Withdrawn) A method for decreasing scar tissue formation on a cut in the skin of a human subject, the method comprising the following steps:

- a) placing an ointment onto the skin at the site of the cut, the ointment including a cytostatic anti-proliferative agent selected from the group that includes sirolimus, anti-sense to c-myc (Resten-NG), tacrolimus (FK506), Everolimus or any other functional analog of sirolimus including: SDZ-RAD, CCI-779, 7-epi-rapamycin, 7-thiomethyl-rapamycin, 7-epi-trimethoxyphenyl-rapamycin, 7-epi-thiomethyl-, 7-demethoxy-rapamycin, 32-demethoxy, 2-desmethyl and proline; and
- b) placing a bandage over the ointment, the bandage being attached to the skin in the vicinity of the cut.

20. (Withdrawn) The method of claim 19 including the step of placing into the ointment at least one additional therapeutic agent that is selected from the group that includes an antiseptic drug, an anti-biotic drug and an analgesic drug.

21. (Withdrawn) The method of claim 19 M e r including the step of the systemic administration of at least one cytostatic anti-proliferative agent selected from the group that includes sirolimus, anti-sense to c-myc (Resten-NG), tacrolimus (FK506), Everolimus and any other functional analog of sirolimus including: SDZ-RAD, CCI-779, 7-epi-rapamycin, 7-thiomethyl-rapamycin, 7-epi-trimethoxyphenyl-rapamycin, 7-epi-thiomethyl-rapamycin, 7-demethoxy- rapamycin, 32-demethoxy, 2-desmethyl and proline.

22. (Withdrawn) A sheet for placement at or near the site of a surgical procedure to reduce the formation of scar tissue and adhesions, the sheet including a cytostatic drug that is released from the sheet over a period that is longer than a day, the cytostatic drug being capable of preventing the initiation of DNA replication of cells in the vicinity of the sheet by acting as a cell cycle mitosis inhibitor that acts on the cells in the vicinity of the sheet at or before the S-phase of cellular mitosis.

23. (Previously Presented) The annular surgical wrap of Claim 1, wherein said wrap further comprises a slit extending from said hole to said radial edge.

24. (Previously Presented) The annular surgical wrap of Claim 23, wherein said hole further comprises a plurality of cuts extending towards said radial edge.

25. (Previously Presented) A surgical wrap, wherein said wrap comprises oxidized regenerated cellulose and a drug selected from the group consisting of sirolimus, everolimus, tacrolimus, SDZ-RAD, CCI-779, 7-epi-rapamycin, 7-thiomethyl-rapamycin, 7-epi-trimethoxyphenyl-rapamycin, 7-epi-thiomethyl-rapamycin, and 7-demethoxy-rapamycin.

26. (Previously Presented) The surgical wrap of Claim 25, wherein said wrap is drug eluting and biodegradable.

27. (Previously Presented) The surgical wrap of Claim 25, wherein said wrap comprises a mesh that is drug eluting.

28. (Previously Presented) The surgical wrap of Claim 25, further comprising at least one additional medication selected from the group consisting of an anti-biotic medication, an anti-inflammatory medication, and an analgesic medication.